


# ACCELERATING ACCESS TO POSTPARTUM FAMILY PLANNING

CHIANG-MAI, THAILAND  
JUNE 8 -11



IN TECHNICAL  
PARTNERSHIP  
WITH



an affiliate of Johns Hopkins University

innovating to save lives



# If we do PFP, Let's Measure it!

## If we do PFP... Let's measure it!

Accelerate PFP Meeting, Chiang Mai, Thailand  
June 9, 2015  
Anne Pfitzer



#### PARTNERS

BILL & MELINDA  
GATES foundation



Maternal and Child  
Survival Program



IN TECHNICAL  
PARTNERSHIP  
WITH

Innovating to save lives  
**Jhpiego**  
an affiliate of Johns Hopkins University



What percentage of women 3 months postpartum are actively using contraception...

...in your country?

...in your district?

...in the catchment area of a district hospital?







MATERNITE

SALLE  
DE  
CPN  
A 7913596D





**COMMUNITY**

Data collection and use

at multiple points of care



**ANTENATAL  
CARE**



**LABOR  
& DELIVERY**



**POSTNATAL  
CARE**



**IMMUNIZATION**

**CHILD HEALTH**





# ANTENATAL CARE At facility/community

Only 2 data elements  
in a register

- PFP counseling
- Client method choice

Client held card

**PPIUCD Client Card    size- 6x4 inch**


back front

### आपको अस्पताल कब आना है

1. 6 हफ्ते बाद पहली जाँच के लिये आवें (जब आप अपने बच्चे का टीकाकरण करवाने आवें)।




2. जब भी गर्भावस्था करने का निर्णय ले तब कॉपर-टी निश्चय करने के लिये आवें।



3. 10 वर्ष बाद - जब कॉपर-टी का प्रभाव खत्म हो जाता है तब इसे निश्चय करने/बदलवाने के लिये आवें।

10  
वर्ष

4. यदि ड्रग्स में से कोई लक्षण हो तो तुरन्त अस्पताल आवें।

<p>गैज ड्रग्स आना, यह लक्षण</p> 	<p>उमर होने से परेशानी हो रही हो /कॉपर-टी का निश्चय चिंता खत्म हो रही हो। ड्रग्स/कॉपर-टी निश्चय नहीं हो</p> 
<p>मासवादी समय पर न आना (हो सकता है आप पेट से हो)</p> 	<p>बॉमि से अत्यधिक सूजन का बढ़ना</p> 
<p>बेधु में दर्द, संसोध के दौरान दर्द</p> 	<p>बॉमि से मंदा/ खबूंधा पानी का आना</p> 

यदि आप प्रसव के बाद कॉपर-टी विधि से संतुष्ट हैं तो इसके बारे में दूसरों को भी ज़रूर बतायें।

"कॉपर-टी लगवाने के बाद आप बच्चे को दूध पिलाना जारी रख सकती हैं!"

कॉपर-टी से सम्बंधित किसी भी जानकारी या परेशानी के लिये इन टोल फ्री नम्बरों पर सम्पर्क करें: 18002222215; 18001165555; 18001801801-2

### प्रसव के बाद कॉपर-टी 380₹ जाँच कार्ड



डॉ. संघ.....

मस्तिष्क का नाम..... जन्म.....

पति का नाम.....

पता.....

सम्पर्क हेतु टेलीफोन/मोबाइल नं० (यदि हो तो).....

पैरा..... प्रसव की तारीख..... कॉपर-टी का प्रकार..... कॉपर-टी 380 ₹

प्रसव के बाद कॉपर-टी कब लगायी गयी

1. आमत निश्चयने के बाद 2. ऑपरेशन के दौरान 3. प्रसव के 48 घण्टे के अन्दर

डॉक्टर का नाम.....

स्वास्थ्य सुविधा का नाम व पता.....




स्वास्थ्य सुविधा में सम्पर्क हेतु टेलीफोन/मोबाइल नं० (यदि हो तो).....

कॉपर-टी लगवाने की तारीख.....

जाँच	तारीख	टिप्पणी	डॉक्टर का नाम एवं इस्तेमाल
1.			
2.			
3.			

कब तक प्रभावशाली..... निश्चय करने की तारीख.....

निश्चय करने का कारण: गर्भावस्था करने के लिये / अन्य कारण.....






## MATERNITY Labor & Delivery

Existing L&D register  
crowded

Several desirable PFP  
data elements, why?

- Advocacy
- Quality and performance  
monitoring



**Seek The Evidence**




# MATERNITY

## Indicators from data at point of service


% of women who were counseled/made a PFP method choice

% clients counselled on PFPF



% of women counseled who adopted a FP method prior to discharge

MCHIP Guinea 2011-2013




Data source: Jhpiego Pakistan, 2013



# MATERNITY


## Indicators from data at point of service

### Distribution by type of PPIUD insertion



Data source: India data, 2010-2013


### % complications among PPIUD users who returned for follow up







## Program Performance Monitoring



India program technical support includes feedback on trained provider performance






# Referrals from child health / immunization




## Guinea Referral Chit

## Mozambique Study



### FP Attendance (REFERRED ONLY), by Month and Timing of Return




	Aug-13	Sep-13	Oct-13	Nov-13	Dec-13	Jan-14	Feb-14
Same Day	53	253	172	247	379	472	573
Different Day	26	38	14	86	84	89	20

# Convince your stakeholders with data!



# Any FP Method Use by Women 0-2 Years Postpartum, By Method Type



■ LARCs/PMs 
 ■ Short Acting 
 ■ Traditional 
 ◆ Any Method Use by Women 0-2 yrs PP

Source: Moore, Zhuzhi, et al. "Missed Opportunities for Family Planning: An Analysis of Pregnancy Risk and Contraceptive Method Use among Postpartum Women in 21 Low- and Middle-income Countries." *Contraception* (2015)



# THANK YOU!    MERCI!

PARTNERS

BILL & MELINDA  
GATES *foundation*



**USAID**  
FROM THE AMERICAN PEOPLE



**UNFPA**



**World Health  
Organization**

Maternal and Child  
Survival Program



IN TECHNICAL  
PARTNERSHIP  
WITH

Innovating to save lives  
**Jhpiego**  
an affiliate of Johns Hopkins University